



Sanitary Wares & Flushing Systems



Commercial Restroom Essentials

Flush Valves • Faucets • Spare Parts • Basins • Urinals • Lavatory • Bathroom Accessories



Basin Sensor Faucets



Brand	Global
Model	EST-18 Series  Excellent
Material	Chrome Plated Brass
Operation	DC6V AA Battery or AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Length	130mm



Brand	Global
Model	EST-16 Series  Excellent
Material	Chrome Plated Brass
Operation	DC6V AA Battery or AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Length	130mm



Brand	Global
Model	EST-22 Series  Excellent
Material	Chrome Plated Brass
Operation	DC6V AA Battery or AC230V, 50-60Hz
Pressure	0.5 ~ 7 Bar
Spout Height	175mm, 315mm or 375mm
Spout Length	130mm or 158mm

Basin Sensor Faucets



Wall Mounted

Brand	Global	
Model	EST-222-W	✓✓✓ Excellent
Material	Chrome Plated Brass	
Operation	AC230V, 50-60Hz	
Pressure	0.5 ~ 7 Bar	
Spout Length	250mm	



Wall Mounted

Brand	Global	
Model	EST-23-KP	✓✓✓ Excellent
Material	Chrome Plated Brass	
Operation	AC230V, 50-60Hz	
Pressure	0.5 ~ 7 Bar	
Spout Length	225mm	



Brand	Inax (Japan)	
Model	AM-90 (AQUA)	✓✓✓ Excellent
Material	Chrome Plated Brass	
Operation	Self-Charging Technology No Battery/Power Supply Needed	
Pressure	0.6 ~ 6 Bar	
Spout Length	110mm	

****Energy Saving***

****ZERO Electricity Consumption***

Self-Closing Basin Faucets



Brand	Global	
Model	GL-301-3 SS2L	✓✓✓ Excellent
Material	Chrome Plated Brass / Stainless Steel	
Spout Length	110mm	



Brand	Global	
Model	GL-2500-3 SS	✓✓✓ Excellent
Material	Chrome Plated Brass / Stainless Steel	
Spout Length	110mm	



Brand	Global	
Model	GL-M2500B-3	✓✓✓ Excellent
Material	Chrome Plated Brass / Stainless Steel	
Spout Length	110mm	



Brand	Global	
Model	GL-M3000-3	✓✓✓ Excellent
Material	Chrome Plated Brass / Stainless Steel	
Spout Length	130mm	



Brand	Global	
Model	GL-801-3	✓✓✓ Excellent
Material	Chrome Plated Brass / Stainless Steel	
Spout Length	95mm	

Self-Closing Wall Faucets



Brand	Global	
Model	GL-302-3	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	



Brand	Global	
Model	GL-302L-130	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	130mm	



Brand	Global	
Model	GL-302L-200	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	200mm	



Brand	Global	
Model	GL-307-SH-C1 (Concealed Shower Valve)	✓✓✓ Excellent
Material	Chrome Plated Brass	
Connection	15mm	



Brand	Global	
Model	GL-307-SH (Shower Valve)	✓✓✓ Excellent
Material	Chrome Plated Brass	
Connection	15mm	

Wall Faucets



Brand	Global	
Model	GL-23-7	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	



Brand	Global	
Model	GL-23-15	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	



Brand	Global	
Model	GL-23-15L	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	



Brand	Global	
Model	GL-23-7L	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	



Brand	Global	
Model	GL-23-15L	✓✓✓ Excellent
Material	Chrome Plated Brass	
Spout Length	85mm	

Other Faucets



Brand	Global	✓✓✓ Excellent
Model	GL-23-215 Basin Faucet	
Material	Chrome Plated Brass	
Spout Length	105mm	



Brand	Global	✓✓✓ Excellent
Model	GL-23-215L Handicap Basin Faucet	
Material	Chrome Plated Brass	
Spout Length	105mm	



Brand	Global	✓✓✓ Excellent
Model	GL-23-14J Sink Faucet with Swivel Spout	
Material	Chrome Plated Brass	
Spout Length	200mm	

Soap Dispensers



Brand	Global
Model	ESS-20-AD (Sensor)
Material	Chrome Plated Brass
Operation	DC6V AA Battery or AC230V, 50 60Hz
Capacity	1 Litre
Soap Output	Liquid
Spout Length	128mm



Brand	Global
Model	ESS-22-AD (Sensor)
Material	Chrome Plated Brass
Operation	DC6V AA Battery or AC230V, 50-60Hz
Capacity	1 Litre
Soap Output	Liquid
Spout Length	125mm



Brand	American Specialties
Model	ASI-0332
Descrp	Undercounter Soap Dispenser
Capacity	1 Litre
Spout Length	4" or 6"



Brand	American Specialties
Model	ASI-0347
Descrp	Wall Mounted Stainless Steel Soap Dispenser
Capacity	1 Litre
Size	205 x 135 x 100 (mm)

WC Manual Flush Valves



Brand	Global
Model	GL-400V-05
Description	Exposed Lever Handle WC F/V
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	GL-400V+018 W51B
Description	WC F/V with Hydraulic Fittings for Box Concealed Type
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	FVC-400V-BHFP
Description	WC F/V with Push Button Assembly For Box Concealed Type
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	GL-400V-CD7
Description	Duct Concealed WC F/V with S/S Push Button Assembly & 205mm Shaft Length
Connection	1" Inlet, 1.1/4" Outlet
Material	Brass / Stainless Steel
Flush Volume	Not More Than 4 Litres

****All flush valves are available in 120mm / 100mm / 70mm***

WC Manual Flush Valves



Brand	Global
Model	GL-430V-BH
Description	Box Concealed WC F/V with S/S Manual Direct Push Button
Size / Connection	L200 x W160 mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	GL-400V-BH SE1
Description	Box Concealed WC F/V with 38mm Hydraulic Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	GL-400V-BH SC1
Description	Box Concealed WC F/V with 50mm Manual Direct Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres



Brand	Global
Model	GL-400V2F-BH
Description	Box Concealed WC F/V with Dual Flush Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres

WC Sensor Flush Valves



Brand & Model	Global GL-400V+E12 NP1
Description	WC F/V with One-Touch Fittings & Solenoid for Concealed Sensor F/V *Available in 70/100/120 (mm)
Connection	1" Inlet, 1.1/4" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 4 Litres
Pressure Range	0.7 ~ 3.0 Bar



Brand & Model	Global ESV-430V-BH
Description	Box Concealed WC Sensor F/V with S/S Manual Override Push Button
Size / Connection	200mm x 160mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	1.0 ~ 3.0 Bar



Brand & Model	Global ESV-400V-BH213
Description	Box Concealed WC Sensor F/V with 38mm Manual Override Push Button
Size / Connection	210mm x 210mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	0.7 ~ 3.0 Bar



Brand & Model	Global ESV-400V-BH SE1
Description	Box Concealed WC Sensor F/V with 38mm Hydraulic Push Button
Size / Connection	210mm x 210mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	0.7 ~ 3.0 Bar

WC Sensor Flush Valves



Brand & Model	Global ESV-430V-FT60
Description	Box Concealed WC F/V with LED Sensor & S/S Manual Override Push Button
Size / Connection	L200 x W160 mm 38mm Inlet, 38mm Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	1.0 ~ 3.0 Bar



Brand & Model	Global ESV-400V-FT60
Description	Box Concealed WC F/V with LED Sensor & S/S Manual Override Push Button
Size / Connection	L210 x W210 mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	0.7 ~ 3.0 Bar



Brand & Model	Global ESV-400V-EB06/24
Description	Exposed Box WC Sensor F/V with Front/Side Hydraulic Push Button (6V/24V)
Size / Connection	260mm x 200mm x 125mm 1" Inlet, 1.1/4" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 4 Litres
Pressure Range	0.7 ~ 3.0 Bar



Urinal Flush Valves



Brand	Global
Model	GL-230P SPL4  Excellent
Description	Urinal F/V with Hydraulic Fittings for Sensor and Concealed Use
Size / Connection	½" Inlet, ½" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 1.5Litre



Brand	Global
Model	GL-230-CD4  Excellent
Description	Duct Concealed Urinal F/V with Push Button Assembly
Connection	½" Inlet, ½" Outlet
Material	Brass
Flush Volume	Not More Than 1.5Litre



Brand	Global
Model	GL-230P  Excellent
Description	Exposed Push Button Urinal F/V
Connection	½" Inlet, ½" Outlet
Material	Chrome Plated Brass
Flush Volume	Not More Than 1.5Litre

Urinal Manual Flush Valves



Brand	Global
Model	GL-638-F15 PB38 
Description	Box Concealed Urinal Sensor F/V w/ 38mm Manual Direct Push Button
Size / Connection	150 x 150mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre



Brand	Global
Model	GL-638-F15 PB50 
Description	Box Concealed Urinal Sensor F/V w/ 50mm Manual Direct Push Button
Size / Connection	150 x 150mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre



Brand	Global
Model	GL-230-F15 H28 
Description	Box Concealed Manual Urinal F/V with Hydraulic Push Button
Size / Connection	150 x 150mm ½" Inlet, ½" Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre

Urinal Sensor Flush Valves



Brand & Model	Global ESV-638-FT60	✓✓✓ Excellent
Description	Box Concealed Urinal F/V with LED Sensor & Manual Override Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15	✓✓✓ Excellent
Description	Box Concealed Urinal Sensor F/V with Manual Override Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15E	✓✓✓ Excellent
Description	Box Concealed Urinal Sensor F/V with Electric Push Button	
Size	150mm x 150mm 1/2" Top Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	



Brand & Model	Global ESV-638-F15 SI	✓✓✓ Excellent
Description	Box Concealed Urinal Sensor F/V with Hydraulic Push Button	
Size	150mm x 150mm 1/2" Side Inlet, 1/2" Bottom Outlet	
Material	Stainless Steel	
Flush Volume	Not More Than 1.5Litre	
Pressure Range	0.5 ~ 3.0 Bar	

Urinal Sensor Flush Valves



Brand & Model	Global ESV-638-2015 BI 
Description	Exposed Box Back Inlet Urinal Sensor F/V with Electric Push Button
Connection	½" Back Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar



Brand & Model	Global ESV-638-2015 SI 
Description	Exposed Box Side Inlet Urinal Sensor F/V with Electric Push Button
Connection	½" Side Inlet, ½" Bottom Outlet
Material	Stainless Steel
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar



Brand & Model	Global ESV-538-F12E 
Description	Box Concealed Urinal Sensor F/V with Electric Push Button
Size	120mm x 120mm ¾" Bottom Inlet, ¾" Bottom Outlet
Material	Stainless Steel / ABS
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar



Brand & Model	Global ESV-738-F12E 
Description	Box Concealed Urinal Sensor Solenoid Flusher with Electric Push Button
Size	120mm x 120mm ½" Top Inlet, ½" Bottom Outlet
Material	Stainless Steel / ABS
Flush Volume	Not More Than 1.5Litre
Pressure Range	0.5 ~ 3.0 Bar

Pistons for WC Flush Valve



Brand	Global
Model	CK-31320
WC Brass Piston with Brass Guide	



Brand	Global
Model	CK-31320P
WC Brass Piston with Plastic Guide for Global GL-400 Series	



Brand	Global
Model	GP-40032
WC Brass Piston with Brass Guide and Air Hole	



Brand	Global
Model	GP-400
WC Brass Piston with Brass Guide w/o Air Hole	



Brand	Global
Model	GPL-31320P
WC Brass Piston with Plastic Guide	



Brand	Global
Model	GP-31400DZR
DZR Bronze WC Piston with Bronze Guide	



Brand	Global
Model	GP-A580-DZR
DZR Bronze WC Piston for Inax/Kakudai Flush Valves	

Pistons for Urinal Flush Valve



Brand	Global
Model	GP-230
Urinal Brass Piston without Air Hole	



Brand	Global
Model	GP-230-3T
Urinal Brass Piston with Air Hole	



Brand	Global
Model	GPL 311
Urinal Brass Piston	



Brand	Global
Model	CK-311S
Urinal Brass Piston with Spring	



Brand	Global
Model	GP-18638
Urinal Piston with Spring for Global ESV-538 Series	



Brand	Global
Model	UFV-115
Urinal Piston with Spring for Global ESV-638 & EST-16 Series	



Brand	Global
Model	CK-T15095
For Urinal Sensor Flush valve	



Brand	Global
Model	GPL 311-EX
Urinal Brass Piston with Top Plug Handle (Manual)	

Hydraulic Valves



Brand	Clippard
Model	MAV2-M5
M5 Female 2-way Hydraulic Plunger Valve	



Brand	Clippard
Model	MJV-2
1/8" Female 2-way Hydraulic Plunger Valve	



Brand	Global
Model	GL-FT-2WMV
1/8" x M5 Female 2-way Hydraulic Plunger Valve	

Push Rod Assemblies



Brand	Global
Model	PRA-TH302
Brass Push Assembly for WC Flush Valve	



Brand	Global
Model	PRA-CK302
Plastic Push Assembly for Global WC Flush Valve	

Push Buttons



Brand	Global
Model	PBA-S130
Brass Chrome Push Button Assembly for Korean/Japan Urinal Flush Valves	



Brand	Global
Model	PBA-SP230
Brass Chrome Push Button Assembly for Global Urinal Flush Valves	



Brand	Global
Model	PBA-CD6
Brass Chrome Push Button Assembly with Shaft for Duct Concealed WC Flush Valve	

Push Buttons



Brand	Global
Model	GPL SW630-H16
Stainless Steel Electrical Push Button Switch Available in 16/19/22mm	



Brand	Omron
Model	SS-5G111
Micro Switch	



Brand	Global
Model	PB-2WMV
14mm CP Brass Mini Push Button Switch	



Brand	Global
Model	PB-H38MB-SSP
38mm Stainless Steel Manual Push Button with Adjustable Rod	



Brand	Global
Model	PB-H28MB-SS
28mm Stainless Steel Manual Push Button with Adjustable Rod	



Brand	Global
Model	PB-H50-SS
50mm Stainless Steel Manual Push Button	



Brand	Global
Model	PB-H38HBJ-SS
38mm Stainless Steel Hydraulic Push Button	



Brand	Global
Model	PB-S28J-SS
28mm Stainless Steel Hydraulic Push Button	



Brand	Global
Model	GPL PB301-SS
Stainless Steel Push Button for Self-Closing Tap	

Solenoids



Brand	Global
Model	SOL 2120BR-12V 2-Way Type
Voltage	12V
Connection	1/8"



Brand	Global
Model	SOL 2W40
Voltage	12V / 24V
Connection	1/8"



Brand	Global
Model	SOL JMC250-6V
Voltage	6V
Connection	1/8" x 1/8"



Brand	Global
Model	SOL FT6VL90 Angle Type
Voltage	6V
Connection	1/8"



Brand	Global
Model	SOL FT3225V6-EC Screw-In Latching Type
Voltage	6V

Solenoids



Brand	Global
Model	SOL YF05C-12V
Voltage	12V
Connection	½" x ½"



Brand	Global
Model	SOL YF06-12V
Voltage	12V
Connection	½" x ¾"



Brand	Global
Model	SOL FD18G-12V
Voltage	12V
Connection	1/2" x 15mm



Brand	Global
Model	SOL FD18HL-12V
Voltage	12V
Connection	½" x ½"



Brand	Global
Model	SOL YF628-6V Latching Type w/ Built-In Stop Valve
Voltage	12V
Connection	½" x ½"



Brand	Global
Model	SOL RG40SQ-12V Insert Type
Voltage	12V

Sensor Eyes



Brand	Global
Model	ES-AF9530-UR Urinal Sensor Eye
Input	12V / 24V
Output	3V / 6V



Brand	Global
Model	ES-AF9530-WC WC Sensor Eye
Input	12V / 24V
Output	3V / 6V



Brand	Global
Model	ES-FT1224-UR Urinal Sensor Eye
Input	12V ~ 32V
Output	12V ~ 32V



Brand	Global
Model	ES-FT1224-WC WC Sensor Eye
Input	12V ~ 32V
Output	12V ~ 32V



Brand	Global
Model	ES-FT70UR-6V Urinal Sensor Eye
Input	6V
Output	6V



Brand	Global
Model	ES-FT70WC-6V WC Sensor Eye
Input	6V
Output	6V

Sensor Eyes



Brand	Global
Model	ES-ST16A-3
Sensor Unit for Global EST-16-B2E Sensor Tap	



Brand	Global
Model	ES-ST16FT-6E
Sensor Unit for Global EST-18-8520 Sensor Tap	



Brand	Global
Model	ES-RK3830EC-6V
DC6V Sensor Unit for WC/Urinal	



Brand	Global
Model	ES-FT4025UR-6SE
DC6V Sensor Unit for WC/Urinal	

One Touch Fittings



Model	PL 04M5C
Size	M5 x 4mm



Model	PL 0401C
Size	1/8" x 4mm



Model	PC 04M5C
Size	M5 x 4mm



Model	PC 0401C
Size	1/8" x 4mm



Model	PUL 04C
Size	4mm x 4mm



Model	PUT 04C
Size	4mm x 4mm x 4mm



Model	PT 04M5C
Size	4mm x 4mm x M5



Model	PT 0401C
Size	4mm x 4mm x 1/8"



Model	PL 06M5C
Size	M5 x 6mm



Model	PL 0601C
Size	1/8" x 6mm



Model	PC 06M5C
Size	M5" x 6mm



Model	PC 0601C
Size	1/8" x 6mm



Model	PUL 06C
Size	6mm x 6mm



Model	PUT 06C
Size	6mm x 6mm x 6mm



Model	PT 06M5C
Size	6mm x 6mm x M5



Model	PT 0601C
Size	6mm x 6mm x 1/8"



Model	PCG 0601
Size	1/8" Fe x 6mm



Model	PLF 0601
Size	1/8" Fe x 6mm



Model	PCJ 04M5
Size	M5 x 4mm



Model	PCJ 0401
Size	1/8" x 4mm

Spare Parts – Miscellaneous



Brand	Global
Model	TFR-DC24V-300MA
Descrp	300MA Step Down 2-Pin Transformer
Input Output	220V ~ 240V 24V



Brand	Global
Model	TFR-DC24003PQ
Descrp	300MA Step Down 3-Pin Transformer
Input Output	220V ~ 240V 24V



Brand	Global
Model	TFR-DC06GPL-3P3
Descrp	300MA Step Down 3-Pin Transformer
Input Output	220V ~ 240V 6V



Brand	Global
Model	GL-V5A-CP
Descrp	Vacuum Breaker for WC Flush Valve
Conn.	32mm



Brand	Inax
Model	WG-13 / WG-14F
Wax Sealant for Urinal or WC Bowl	



Brand	Global
Model	UF-13WPL
Urinal Wall Flanges with Wax Sealant	

Spare Parts – Miscellaneous



Brand	Global
Model	TH 92025
Rubber Cup Washer for WC/Urinal Piston	



Brand	Global
Model	TH 23022
Rubber Cup Washer for Urinal Piston	



Brand	Global
Model	TH 95853
Rubber Cup Washer for Urinal Sensor Piston	



Brand	Inax
Model	50-2073-1
Rubber Cup Washer for WC Piston	



Brand	Inax
Model	50-56
Rubber Cup Washer for Inax A-580 Piston	



Brand	Inax
Model	50-837
Rubber Cup Washer for Inax A-538 Piston	



Brand	Global
Model	LK TC701
Large Cam Lock with Key	



Brand	Global
Model	LK-XYZ-19
19mm Mini Cam Lock with Key	



Brand	Global
Model	LK-XYZ-16
16mm Mini Cam Lock with Key	

Counter Lavatory / Wash Basins



Brand	Inax
Model	L-2293VFC
Mounting	Undercounter
Size	535mm X 415mm
Depth	210mm



Brand	Inax
Model	L-2285FC
Mounting	Undercounter
Size	590mm X 495mm
Depth	200mm



Brand	Inax
Model	L-293VFC
Mounting	Wall Hung / Table Top
Size	500mm X 450mm
Depth	155mm



Brand	Inax
Model	L-2397VFC
Mounting	Overcounter
Size	650mm X 460mm
Depth	153mm

Lavatory / Wash Basins



Brand	Inax
Model	L-285VFC
Mounting	Wall Hung
Size	500mm X 425mm
Depth	176mm



Brand	Inax
Model	L-285VEC
Mounting	Wall Hung
Size	500mm X 425mm
Depth	176mm



Brand	Global
Model	CB L284FC
Mounting	Wall Hung
Size	540mm X 445mm
Depth	155mm

Urinals



Brand	Inax
Model	AWU-500V/638
Wall/Floor Mounted Back Inlet Urinal Bowl w/ Built-In Sensor Flush Valve	
Size	845 x 410 x 359 (mm)



Brand	Global
Model	UR-CT6059/638
Wall Mounted Back Inlet Urinal Bowl w/ Built-In Sensor Flush Valve	
Size	845 x 410 x 359 (mm)



Brand	Global
Model	UR-CT6025
Wall Hung Back Inlet, Bottom Outlet Urinal Bowl	
Size	685 x 380 x 320 (mm)



Brand	Global
Model	UR-CT6033
Wall Mounted Back Inlet, Back Outlet Urinal Bowl	
Size	765 x 382 x 346 (mm)

Urinals



Brand	Global
Model	UR-CT6074
Wall Mounted Back Inlet, Back Outlet Urinal Bowl	
Size	545 x 340 x 330 (mm)



Brand	Inax
Model	U-116V
Wall Hung Top Inlet, Bottom Outlet Urinal Bowl	
Size	375 x 280 x 285 (mm)



Brand	Inax
Model	U-431V
Wall Hung Back/Top Inlet, Back Outlet Urinal Bowl	
Size	640 x 340 x 340 (mm)



Brand	Inax
Model	U-117V
Wall Hung Top Inlet, Back Outlet Urinal Bowl	
Size	531 x 290 x 265 (mm)

Water Closets



Brand	American Standard
Model	AS-WP3906
Wall Hung Back Inlet WC Bowl, Wall Discharge	
Size	520 x 356 x 370 (mm)




Brand	Inax
Model	C-22
Wall Hung Back Inlet WC Bowl, Wall Discharge with Proguard	
Size	600 x 360 x 320 (mm)

Seat & Covers



Brand	WDI
Model	TC I1043-W
Type	Closed Front Elongated Normal Closing
Material	Heavy Duty Polypropylene



Brand	WDI
Model	TC I1500-W
Type	Closed Front Elongated Soft Closing
Material	Heavy Duty Polypropylene



Brand	WDI
Model	TC I1220KS-W
Type	Open Front Elongated Soft Closing
Material	Heavy Duty Polypropylene


Seat & Covers



Brand	WDI
Model	TC I1606-W
Type	Closed Front Regular Normal Closing
Material	Heavy Duty Polypropylene




Brand	WDI
Model	TC I1606KS-W
Type	Open Front Regular Soft Closing
Material	Heavy Duty Polypropylene




Brand	WDI
Model	TC I1693S-W
Type	Closed Front Regular/Elongated Soft Closing
Material	Heavy Duty Polypropylene


Seat & Covers



Brand	WDI
Model	TC U5390S-W
Type	Closed Front Elongated Soft Closing
Material	Heavy Duty Urea Plastic




Brand	WDI
Model	TC U5021S-W
Type	Closed Front Regular Soft Closing
Material	Heavy Duty Urea Plastic




Brand	WDI
Model	TC U5850S-W
Type	Closed Front Regular Soft Closing
Material	Heavy Duty Urea Plastic


Seat & Covers



Brand	WDI
Model	TC U5370S
Type	Closed Front Regular Soft Closing
Material	Heavy Duty Urea Plastic



Brand	WDI
Model	TC U7080S
Type	Closed Front Elongated Soft Closing
Material	Heavy Duty Urea Plastic



Brand	WDI
Model	TC U5061S-W
Type	Closed Front Elongated Soft Closing
Material	Heavy Duty Urea Plastic

Wastes & Traps



Brand	Global
Model	GSW-P04-38
Descrp	Straight Lever Handle Sink Waste
Material	Chrome Plated Cast Brass
Connection Size	3-1/2" x 1-1/2"



Brand	Global
Model	GSW-Q04-38
Descrp	Twist Lever Handle Sink Waste
Material	Chrome Plated Cast Brass
Connection Size	3-1/2" x 1-1/2"



Brand	Global
Model	GSW-Q06-50
Descrp	Twist Lever Handle Sink Waste w/ Overflow
Material	Chrome Plated Cast Brass
Connection Size	3-1/2" x 2"



Brand	Global
Model	GSW-Q05-38
Descrp	Twist Lever Handle Sink Waste w/ Overflow Pipe
Material	Chrome Plated Cast Brass
Connection Size	3-1/2" x 1-1/2"

Handicap Grab Bars



Brand	Global
Model	GB38-L600X150-WN
Descrp	Ø38 x L600mm Straight Grab Bar, 150mm Projection
Material	Stainless Steel 304, Satin Finish

Brand	Global
Model	GB38-L600-WN
Descrp	Ø38 x L600mm Straight Grab Bar
Material	Stainless Steel 304, Satin Finish
*Available in 400/450/700mm	



Brand	Global
Model	LUB38-L750-WN
Descrp	Ø38 x L750mm Lift-Up Grab Bar
Material	Stainless Steel 304, Satin Finish



Brand	Global
Model	GB38-L120X70-WN
Descrp	Ø38 x L1200 x 700mm L-Shaped Grab Bar
Material	Stainless Steel 304, Satin Finish

Handicap Grab Bars



Brand	Global
Model	GB35-L450-WN
Descrp	Ø35 x L450mm Antiskid Straight Grab Bar
Material	Stainless Steel 304, ABS Antibacterial Coating



Brand	Global
Model	GB35-L600-WN
Descrp	Ø35 x L600mm Antiskid Straight Grab Bar
Material	Stainless Steel 304, ABS Antibacterial Coating



Brand	Global
Model	LUB35-L750-WN
Descrp	Ø35 x L750mm Antiskid Lift-Up Grab Bar
Material	Stainless Steel 304, ABS Antibacterial Coating



Brand	Global
Model	GB35-L120X70-WN
Descrp	Ø35 x L1200 x 700mm Antiskid L-Shaped Grab Bar
Material	Stainless Steel 304, ABS Antibacterial Coating

Handicap Grab Bars



Brand	Global
Model	B38-70x70
Descrp	Wall Mounted Heavy Duty Ambulance Grab Bar
Material	Stainless Steel 304
Size	OD38mm x 700mm x 700mm



Brand	Global
Model	VIC-HUB-L50xD30
Descrp	Wall Mounted Heavy Duty Urinal Grab Bar with Adjustable Depth
Material	Stainless Steel 304
Size	OD38mm x 500mm x 300mm

Baby Changing Station



Brand	American Specialties
Model	ASI-9012
Descrp	Baby Changing Station
Material	Non-Porous Plastic
Support Load	136.0 KG
Size	920 x 570 x 100 (mm)

Hand Dryer



Brand	Mediclinics
Model	MED 88A PLUS
Descrp	Wall Mounted Automatic Hand Dryer
Voltage	220V ~ 240V
Power	1640W
Size	302 x 253 x 153 (mm)



Brand	Mediclinics
Model	MED M12ACS
Descrp	Wall Mounted Automatic High Speed Hand Dryer
Voltage	220V ~ 240V
Power	420W
Size	656 x 320 x 226 (mm)

Other Accessories



Brand	Global
Model	GP-53
Descrp	Wall Mounted Paper Towel Dispenser
Material	Stainless Steel 304
Size	345 x 280 x 102 (mm)



Brand	Global
Model	EX-PH9921
Descrp	Wall Mounted Jumbo Toilet Roll Holder
Material	Stainless Steel 304
Size	257 x 115 (mm)

Other Accessories



Brand	Global
Model	GL-XC-BIDET12
Descrp	Bidet Spray w/ Flexible Hose & Holder
Material	Head – Chrome ABS Hose – Chrome Brass / PVC
Hose Length	1.2mtr / 1.5mtr



Brand	Global
Model	GL-XC-SBT02
Descrp	H/D Bidet Spray w/ Flexible Hose & Holder
Material	Stainless Steel 304
Hose Length	1.2mtr / 1.5mtr



Brand	Global
Model	GL-9320C
Descrp	Wall Angle Valve
Material	Chrome Plated Brass
Size	½"
Flow Rate	3.80 L/Min (3 Ticks)



Brand	Global
Model	GL-XC-R30155-3F
Descrp	3-Function Adjustable Shower Rose
Material	Chrome Plated ABS
Size	½"

Pre-Rinse Units



Brand	Global
Model	PRU-DF5-S4
Single Hole Heavy Duty Pre-Rinse Unit (Cold Water Only)	
Conn.	½"



Brand	Global
Model	PRU-DX7-S4
Single Hole Heavy Duty Pre-Rinse Mixer Unit	
Conn.	½"



Brand	Global
Model	PRU-DX10-S4
8" Centre, Two Hole Heavy Duty Pre-Rinse Mixer Unit	
Conn.	½"



Brand	Global
Model	PRU-WX6-S4
8" Centre, Two Hole Heavy Duty Wall Mounted Pre-Rinse Mixer Unit	
Conn.	½"